



PAPENSTRAATTHEATER, THEATER ODEON

📍 Blijmarkt 25, 8011 ND Zwolle,

☎ general: 038 4288280

☎ technical: 038 4288285

E-mail: techniek@zwolsetheaters.nl

Website: www.zwolsetheaters.nl

A small black box with a rich history, this theatre was first used in 1974 as a venue for puppetry but quickly grew to a general theatre before being added to the Zwolse Theaters in 1994. Found in a historic building located on the Papenstraat, as a part of the Cele-Centrum. Reachable through the Odeon complex.

SEATING

- capacity75 Front-of-house on rows 6 + 7

LOADING

Papenstraat 9, 8011 PL Zwolle (of Praubstraat)

Groundlevel 0

DIMENSIONS

Width:

Wall-to-wall 5.50

Depth

Black backdrop 5.20

Cyclorama 5.50

Height:

Bottom of grid 3.75

Lowest beams at some points 3.50

The Papenstraat theatre is small, please take note of the stage dimensions

STAGE

Stage floor black marbled linoleum over concrete

Auditorium floor marmoleum

Sound

House Sound system:

Left/ Right	FOH	sub	Meyersound UMS-1P
		top	KS CPA-2 (fixed)

Control digital processor

Monitors 2 x KS CM-210
2 x EAW SM 109/ 2

Mixing Desk Soundcraft SI-Compact 24

Patching 24/8 (not counting outputs to the PA)

Mic's as requested

Lighting

See Lighting plan

Controlled by DMX

Dimmers 36 x 2,3kW (through patch panel)

Lighting Desk Compulite Photon

Lights

Selecon Axial ¹ 4 x 600W, zoom 18°-34°

Selecon Acclaim ¹ 2 x 500W, zoom 24°-48°

ETC, source four junior ² 2 x 585W, zoom 35°-50°

Selecon Acclaim ¹ 10 x 650W, pc soft (w/ barndoors)

10 x 500W, fr (w/ barndoors)

Selecon SF 1200 ² 3 x 1kw, (w/ barndoors)


Par ETC source four ² 10 x 585 W, 230 V

Floor power supply 2 on left and right walls (schuko)

¹ gel size 125 x 125 mm

² gel size 185 x 185

**zwolse
theaters**



POWER CURRENT

Backstage

32 A (3L+N)

MISCELLANEOUS

Drapes, dark blue velvet

Scrim/Gauze

Cyclorama

Upright piano