



Mateboerzaal, Theater De Spiegel

📍 Spinhuisplein 14, 8011 ZZ Zwolle,

☎ algemeen: 038 4288280

☎ techniek: 038 4288285

E-mail: techniek@zwolsetheaters.nl

Website: www.zwolsetheaters.nl

SEATING

- Auditorium 519 seats Front-of-House on rows 11 + 12 (13 chairs wide)
- 1st balcony 179 seats
- 2nd balcony 122 seats
- 3rd balcony 97 seats
- Boxes/Loges 24 seats

Total seating 931

LOADING

Spinhuisplein 14, 8011 ZZ Zwolle

Indoor truck dock,

Maximum trucks 2

Street level - 1.10

PROSCENIUM, DIMENSIONS (from Centre Line)

Width:

Total stage/ offstage	38.80
Net stage	25.00
Side catwalk	25.00
Proscenium wall	18.00*
Maximum arch width	18.00
Minimum arch width	12.00

**Note; the proscenium wall can be narrowed to 15.50 by turning the boxes inward.*

Height:

Proscenium arch	14.00
Arch catwalk maximum	15.00
Arch catwalk minimum	-
Total stage / Fly Gallery	21.89
Net stage / Max Fly	20.45
Bottom side catwalk	9.00
Bottom back catwalk	3.60
Auditorium floor 1 st row	- 1.00

Depth:

Total stage / backstage	17.10
Net stage	14.05
Backstage catwalk	14.15
Back of Proscenium Arch	0
Front of Proscenium Arch	- 1.04
Back of Proscenium wall	- 2.15
Apron (C)	- 3.35
Orchestra Pit (C)	- 6.48
Rake	0

ORCHESTRA PIT

Small:	width	16.40
	depth	4.90
Large:	width	16.40
	depth	6.70

Max. 80 person orchestra
Orchestra seating available

FLOORS

Stage Floor material	Keruing
Offstage Floor material	Concrete
Auditorium Floor material	vinyl/ carpet

PROSCENIUM CURTAIN, TRAVELER

Motorized	stage left
-----------	------------

SOUND

Sound system D&B audiotechnik

Clusters

Left & Right	each side	2* Ci 60
		1* Q sub
Center		2* Ci 90
		1* Ci 90

Links /Rechts	Floor	FOH	each side	2* Ci 90
				2* Q sub

Fills	Onder 1 st balcony	6*E0
	Front 2 nd balcony	4*E3
	Front 3 rd balcony	4*E3
	Side gallery	18*dl06
	Boxes/Loges	12*dl06

Aansturing BSS London Blu-80 + Blu-32 (analoog in/uit)
Laptop met GUI voor besturing

Monitors/wedges L'Accoustic X8
4 groups w/ 2* d12 amps

Mixing Desk as requested

Sound FX as requested

Patching 32/8
12 tie lines
Monitor split out w/ transformers

Mic's as requested

Intercom ASL (wired)
4 x Clear-Com FreeSpeak II (wireless)

FLY BARS

See fly list

Fly system controller Unican Moveo

Bar length	23.40
Maximum height	20.5
Maximum load	500 kg
Fly speed	0 – 170 cm/sec

LIGHT

See Lighting plan

Control	DMX 5p/ Cat 6a
Lighting Desk	MA grandMA3 onPC command wing, MA3 8port on-pc node A-BEE Wireless DMX remote
Follow spots	2x Robert Juliat Aramis 2500W HMI, in separate boxes
Misc Lights	8 x Niethammer, 1 kw, profile 15-38° 6 x sixbar CP 62, Thomas 12 x ADB, 2 kw, fresnel 10 x ADB, 2kw, pc 32 x par lights, CP 62 bulb 12 x floor braces
Misc. Dimmers	5 x 8 connections (harting), each side

POWER CURRENT

Upstage Left	32 A (3L+N) 125 A (3L+N)
Downstage Left	32 A (3L+N) 63 A (3L+N) 125 A (3L+N)
Upstage Right	32 A (3L+N) 125 A (3L+N)
Downstage Right	32 A (3L+N) 125 A (3L+N)

**zwolse
theaters**



MISCELLANEOUS

Black dance flooring

Gauze/scrim

Cyclorama

Side curtains

Aerial Work Platform